



# FUYR BEARING CO.,LTD.



## 80 mm x 140 mm x 26 mm SKF 7216 BEGAPH Angular Contact Ball Bearings

Bearing No. 7216 BEGAPH

7216 BEGAPH Bearing 2D drawings and 3D CAD models

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0
Product Group	B00308
Enclosure	Open
Flush Ground	Yes
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	PEEK
Contact Angle	40 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Preload	Light
Mounting Arrangement	Universal
Inch - Metric	Metric
Long Description	80MM Bore; 140MM Outside Diameter; 26MM Width; Open; Yes Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1   ISO P0; No Filling Slot; No Snap



## FUYR BEARING CO.,LTD.

	Ring; C0-Medium; PEEK Cage; 40 Degree; 1 (Single); L
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
d	3.15 Inch   80 Millimeter
D	5.512 Inch   140 Millimeter
B	1.024 Inch   26 Millimeter
d	80 mm
D	140 mm
B	26 mm
d <sub>1</sub>	103.55 mm
d <sub>2</sub>	91.44 mm
D <sub>1</sub>	117.85 mm
a	59 mm
r <sub>1,2</sub> min.	2 mm
r <sub>3,4</sub> min.	1 mm
d <sub>a</sub> min.	91 mm
D <sub>a</sub> max.	130 mm
D <sub>b</sub> max.	134 mm
r <sub>a</sub> max.	2 mm
r <sub>b</sub> max.	1 mm
Basic dynamic load rating C	85 kN
Basic static load rating C <sub>0</sub>	75 kN
Fatigue load limit P <sub>u</sub>	3.05 kN
Reference speed	5600 r/min
Limiting speed	5600 r/min
Calculation factor A	0.0801



## FUYR BEARING CO.,LTD.

Calculation factor $k_r$	0.095
Calculation factor $e$	1.14
Calculation factor $X$	0.35
Calculation factor $Y_0$	0.26
Calculation factor $Y_2$	0.57
Calculation factor $X$	0.57
Calculation factor $Y_0$	0.52
Calculation factor $Y_1$	0.55
Calculation factor $Y_2$	0.93
Mass bearing	1.45 kg