



FUYR BEARING CO.,LTD.



23280 CAK/C08W507 Bearing 2D drawings and 3D CAD models

15.748 Inch | 400 Millimeter x 28.346 Inch | 720 Millimeter x 10.079 Inch | 256 Millimeter SKF 23280 CAK/C08W507 Spherical Roller Bearings

Bearing No. 23280 CAK/C08W507

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	466.718
EAN	7316577650498
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH3280 (Specify bore)
Withdrawal Nut	HM3184
Inch - Metric	Metric
Long Description	400MM Tapered Bore; 720MM Outside Diameter; 256MM Width; C0-Medium Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Bronze Cage Material; Open Enclosure; Relubricatable; Adapter Part



FUYR BEARING CO.,LTD.

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	http://www.skf.com
Weight / LBS	1,028.014
D	28.346 Inch 720 Millimeter
B	10.079 Inch 256 Millimeter
d	15.748 Inch 400 Millimeter
Adapter Part Number	SNP3280 (Specify bore) Inch H3280 (Specify bore) Millimeter
bore diameter:	400 mm
maximum rpm:	670 RPM
outside diameter:	720 mm
operating temperature range:	Maximum of +390 ° F
overall width:	256 mm
cage material:	Brass
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C1
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	256 mm



FUYR BEARING CO.,LTD.

dynamic load capacity:	6550 kN
fillet radius:	5 mm
static load capacity:	10400 kN
series:	232